

---

# **Django REST Framework JSON API Documentation**

*Release 3.0.0*

**Django REST Framework JSON API contributors**

**Oct 18, 2019**



# CONTENTS

<b>1</b>	<b>Getting Started</b>	<b>3</b>
1.1	Requirements . . . . .	4
1.2	Installation . . . . .	4
1.3	Running the example app . . . . .	4
1.4	Running Tests . . . . .	4
<b>2</b>	<b>Usage</b>	<b>5</b>
2.1	Configuration . . . . .	5
2.2	Pagination . . . . .	6
2.3	Filter Backends . . . . .	7
2.4	Performance Testing . . . . .	9
2.5	Serializers . . . . .	9
2.6	Setting the resource_name . . . . .	10
2.7	Inflecting object and relation keys . . . . .	10
2.8	Related fields . . . . .	13
2.9	RelationshipView . . . . .	16
2.10	Working with polymorphic resources . . . . .	16
2.11	Meta . . . . .	17
2.12	Links . . . . .	18
2.13	Included . . . . .	18
<b>3</b>	<b>API Reference</b>	<b>21</b>
3.1	rest_framework_json_api package . . . . .	21
<b>4</b>	<b>Contributing</b>	<b>33</b>
4.1	How . . . . .	33
4.2	For maintainers . . . . .	33
<b>5</b>	<b>Indices and tables</b>	<b>35</b>
	<b>Python Module Index</b>	<b>37</b>
	<b>Index</b>	<b>39</b>



Contents:



## GETTING STARTED

*Note: this package is named Django REST Framework JSON API to follow the naming convention of other Django REST Framework packages. Since that's quite a bit to say or type this package will be referred to as DJA elsewhere in these docs.*

By default, Django REST Framework produces a response like:

```
{
  "count": 20,
  "next": "http://example.com/api/1.0/identities/?page=3",
  "previous": "http://example.com/api/1.0/identities/?page=1",
  "results": [{
    "id": 3,
    "username": "john",
    "full_name": "John Coltrane"
  }]
}
```

However, for the same identity model in JSON API format the response should look like the following:

```
{
  "links": {
    "first": "http://example.com/api/1.0/identities",
    "last": "http://example.com/api/1.0/identities?page=5",
    "next": "http://example.com/api/1.0/identities?page=3",
    "prev": "http://example.com/api/1.0/identities",
  },
  "data": [{
    "type": "identities",
    "id": 3,
    "attributes": {
      "username": "john",
      "full-name": "John Coltrane"
    }
  }],
  "meta": {
    "pagination": {
      "page": "2",
      "pages": "5",
      "count": "20"
    }
  }
}
```

## 1.1 Requirements

1. Python (3.5, 3.6, 3.7)
2. Django (1.11, 2.1, 2.2)
3. Django REST Framework (3.10)

We **highly** recommend and only officially support the latest patch release of each Python, Django and REST Framework series.

## 1.2 Installation

From PyPI

```
pip install djangorestframework-jsonapi
# for optional package integrations
pip install djangorestframework-jsonapi['django-filter']
pip install djangorestframework-jsonapi['django-polymorphic']
```

From Source

```
git clone https://github.com/django-json-api/django-rest-framework-json-api.git
cd django-rest-framework-json-api && pip install -e .
```

## 1.3 Running the example app

```
git clone https://github.com/django-json-api/django-rest-framework-json-api.git
cd django-rest-framework-json-api
python3 -m venv env
source env/bin/activate
pip install -U -e . -r requirements.txt
django-admin migrate --settings=example.settings
django-admin loaddata drf_example --settings=example.settings
django-admin runserver --settings=example.settings
```

Browse to <http://localhost:8000>

## 1.4 Running Tests

```
pip install tox
tox
```



The DJA package implements a custom renderer, parser, exception handler, query filter backends, and pagination. To get started enable the pieces in `settings.py` that you want to use.

Many features of the [JSON:API](#) format standard have been implemented using Mixin classes in `serializers.py`. The easiest way to make use of those features is to import `ModelSerializer` variants from `rest_framework_json_api` instead of the usual `rest_framework`

## 2.1 Configuration

We suggest that you copy the settings block below and modify it if necessary.

```
REST_FRAMEWORK = {
    'PAGE_SIZE': 10,
    'EXCEPTION_HANDLER': 'rest_framework_json_api.exceptions.exception_handler',
    'DEFAULT_PAGINATION_CLASS':
        'rest_framework_json_api.pagination.JsonApiPageNumberPagination',
    'DEFAULT_PARSER_CLASSES': (
        'rest_framework_json_api.parsers.JSONParser',
        'rest_framework.parsers.FormParser',
        'rest_framework.parsers.MultiPartParser'
    ),
    'DEFAULT_RENDERER_CLASSES': (
        'rest_framework_json_api.renderers.JSONRenderer',
        # If you're performance testing, you will want to use the browsable API
        # without forms, as the forms can generate their own queries.
        # If performance testing, enable:
        # 'example.utils.BrowsableAPIRendererWithoutForms',
        # Otherwise, to play around with the browsable API, enable:
        'rest_framework.renderers.BrowsableAPIRenderer'
    ),
    'DEFAULT_METADATA_CLASS': 'rest_framework_json_api.metadata.JSONAPIMetadata',
    'DEFAULT_FILTER_BACKENDS': (
        'rest_framework_json_api.filters.QueryParameterValidationFilter',
        'rest_framework_json_api.filters.OrderingFilter',
        'rest_framework_json_api.django_filters.DjangoFilterBackend',
        'rest_framework.filters.SearchFilter',
    ),
    'SEARCH_PARAM': 'filter[search]',
    'TEST_REQUEST_RENDERER_CLASSES': (
        'rest_framework_json_api.renderers.JSONRenderer',
    ),
}
```

(continues on next page)

(continued from previous page)

```
'TEST_REQUEST_DEFAULT_FORMAT': 'vnd.api+json'
}
```

## 2.2 Pagination

DJA pagination is based on [DRF pagination](#).

When pagination is enabled, the renderer will return a `meta` object with record count and a `links` object with the next, previous, first, and last links.

Optional query parameters can also be provided to customize the page size or offset limit.

### 2.2.1 Configuring the Pagination Style

Pagination style can be set on a particular viewset with the `pagination_class` attribute or by default for all viewsets by setting `REST_FRAMEWORK['DEFAULT_PAGINATION_CLASS']` and by setting `REST_FRAMEWORK['PAGE_SIZE']`.

You can configure fixed values for the page size or limit – or allow the client to choose the size or limit via query parameters.

Two pagination classes are available:

- `JsonApiPageNumberPagination` breaks a response up into pages that start at a given page number with a given size (number of items per page). It can be configured with the following attributes:
  - `page_query_param` (default `page[number]`)
  - `page_size_query_param` (default `page[size]`) Set this to `None` if you don't want to allow the client to specify the size.
  - `page_size` (default `REST_FRAMEWORK['PAGE_SIZE']`) default number of items per page unless overridden by `page_size_query_param`.
  - `max_page_size` (default 100) enforces an upper bound on the `page_size_query_param`. Set it to `None` if you don't want to enforce an upper bound.
- `JsonApiLimitOffsetPagination` breaks a response up into pages that start from an item's offset in the viewset for a given number of items (the limit). It can be configured with the following attributes:
  - `offset_query_param` (default `page[offset]`).
  - `limit_query_param` (default `page[limit]`).
  - `default_limit` (default `REST_FRAMEWORK['PAGE_SIZE']`) is the default number of items per page unless overridden by `limit_query_param`.
  - `max_limit` (default 100) enforces an upper bound on the limit. Set it to `None` if you don't want to enforce an upper bound.

### Examples

These examples show how to configure the parameters to use non-standard names and different limits:

```

from rest_framework_json_api.pagination import JsonApiPageNumberPagination, \
    ↳JsonApiLimitOffsetPagination

class MyPagePagination(JsonApiPageNumberPagination):
    page_query_param = 'page_number'
    page_size_query_param = 'page_length'
    page_size = 3
    max_page_size = 1000

class MyLimitPagination(JsonApiLimitOffsetPagination):
    offset_query_param = 'offset'
    limit_query_param = 'limit'
    default_limit = 3
    max_limit = None

```

## 2.3 Filter Backends

Following are descriptions of JSON:API-specific filter backends and documentation on suggested usage for a standard DRF keyword-search filter backend that makes it consistent with JSON:API.

### 2.3.1 QueryParameterValidationFilter

QueryParameterValidationFilter validates query parameters to be one of the defined JSON:API query parameters (sort, include, filter, fields, page) and returns a 400 Bad Request if a non-matching query parameter is used. This can help the client identify misspelled query parameters, for example.

If you want to change the list of valid query parameters, override the `.query_regex` attribute:

```

# compiled regex that matches the allowed http://jsonapi.org/format/#query-parameters
# `sort` and `include` stand alone; `filter`, `fields`, and `page` have []'s
query_regex = re.compile(r'^((sort|include)$|^((filter|fields|page) (\[[\w\.-]+\])?$))?$')

```

For example:

```

import re
from rest_framework_json_api.filters import QueryValidationFilter

class MyQPValidator(QueryValidationFilter):
    query_regex = re.compile(r'^((sort|include|page|page_size)$|^((filter|fields|page) (\[[\w\.-]+\])?$))?$')

```

If you don't care if non-JSON:API query parameters are allowed (and potentially silently ignored), simply don't use this filter backend.

### 2.3.2 OrderingFilter

OrderingFilter implements the JSON:API `sort` and uses DRF's `ordering filter`.

Per the JSON:API specification, “If the server does not support sorting as specified in the query parameter `sort`, it **MUST** return 400 Bad Request.” For example, for `?sort=abc,foo,def` where `foo` is a valid field name and the other two are not valid:

```
{
  "errors": [
    {
      "detail": "invalid sort parameters: abc,def",
      "source": {
        "pointer": "/data"
      },
      "status": "400"
    }
  ]
}
```

If you want to silently ignore bad sort fields, just use `rest_framework.filters.OrderingFilter` and set `ordering_param` to sort.

### 2.3.3 DjangoFilterBackend

`DjangoFilterBackend` implements a Django ORM-style [JSON:API filter](#) using the [django-filter](#) package.

This filter is not part of the JSON:API standard per-se, other than the requirement to use the `filter` keyword: It is an optional implementation of a style of filtering in which each filter is an ORM expression as implemented by `DjangoFilterBackend` and seems to be in alignment with an interpretation of the [JSON:API recommendations](#), including relationship chaining.

Filters can be:

- A resource field equality test: `?filter[qty]=123`
- Apply other [field lookup](#) operators: `?filter[nameicontains]=bar` or `?filter[name.isnull]=true`
- Membership in a list of values: `?filter[name.in]=abc,123,zzz` (name in `['abc', '123', 'zzz']`)
- Filters can be combined for intersection (AND): `?filter[qty]=123&filter[name.in]=abc,123,zzz&filter[...]`
- A related resource path can be used: `?filter[inventory.item.partNum]=123456` (where `inventory.item` is the relationship path)

The filter returns a 400 Bad Request error for invalid filter query parameters as in this example for GET `http://127.0.0.1:8000/nopage-entries?filter[bad]=1:`

```
{
  "errors": [
    {
      "detail": "invalid filter[bad]",
      "source": {
        "pointer": "/data"
      },
      "status": "400"
    }
  ]
}
```

As this feature depends on `django-filter` you need to run

```
pip install djangorestframework-jsonapi['django-filter']
```

### 2.3.4 SearchFilter

To comply with JSON:API query parameter naming standards, DRF's `SearchFilter` should be configured to use a `filter[_something_]` query parameter. This can be done by default by adding the `SearchFilter` to `REST_FRAMEWORK['DEFAULT_FILTER_BACKENDS']` and setting `REST_FRAMEWORK['SEARCH_PARAM']` or adding the `.search_param` attribute to a custom class derived from `SearchFilter`. If you do this and also use `DjangoFilterBackend`, make sure you set the same values for both classes.

### 2.3.5 Configuring Filter Backends

You can configure the filter backends either by setting the `REST_FRAMEWORK['DEFAULT_FILTER_BACKENDS']` as shown in the *example settings* or individually add them as `.filter_backends` View attributes:

```
from rest_framework_json_api import filters
from rest_framework_json_api import django_filters
from rest_framework import SearchFilter
from models import MyModel

class MyViewSet(ModelViewSet):
    queryset = MyModel.objects.all()
    serializer_class = MyModelSerializer
    filter_backends = (filters.QueryParameterValidationFilter, filters.OrderingFilter,
                      django_filters.DjangoFilterBackend, SearchFilter)
    filterset_fields = {
        'id': ('exact', 'lt', 'gt', 'gte', 'lte', 'in'),
        'descriptuon': ('icontains', 'iexact', 'contains'),
        'tagline': ('icontains', 'iexact', 'contains'),
    }
    search_fields = ('id', 'description', 'tagline',)
```

## 2.4 Performance Testing

If you are trying to see if your viewsets are configured properly to optimize performance, it is preferable to use `example.utils.BrowsableAPIRendererWithoutForms` instead of the default `BrowsableAPIRenderer` to remove queries introduced by the forms themselves.

## 2.5 Serializers

It is recommended to import the base serializer classes from this package rather than from vanilla DRF. For example,

```
from rest_framework_json_api import serializers

class MyModelSerializer(serializers.ModelSerializer):
    # ...
```

## 2.6 Setting the resource\_name

You may manually set the `resource_name` property on views, serializers, or models to specify the `type` key in the json output. In the case of setting the `resource_name` property for models you must include the property inside a `JSONAPIMeta` class on the model. It is automatically set for you as the plural of the view or model name except on resources that do not subclass `rest_framework.viewsets.ModelViewSet`:

Example - `resource_name` on View:

```
class Me(generics.GenericAPIView):
    """
    Current user's identity endpoint.

    GET /me
    """
    resource_name = 'users'
    serializer_class = identity_serializers.IdentitySerializer
    allowed_methods = ['GET']
    permission_classes = (permissions.IsAuthenticated, )
```

If you set the `resource_name` property on the object to `False` the data will be returned without modification.

Example - `resource_name` on Model:

```
class Me(models.Model):
    """
    A simple model
    """
    name = models.CharField(max_length=100)

    class JSONAPIMeta:
        resource_name = "users"
```

If you set the `resource_name` on a combination of model, serializer, or view in the same hierarchy, the name will be resolved as following: view > serializer > model. (Ex: A view `resource_name` will always override a `resource_name` specified on a serializer or model). Setting the `resource_name` on the view should be used sparingly as serializers and models are shared between multiple endpoints. Setting the `resource_name` on views may result in a different `type` being set depending on which endpoint the resource is fetched from.

## 2.7 Inflecting object and relation keys

This package includes the ability (off by default) to automatically convert `json api field names` of requests and responses from the python/rest\_framework's preferred underscore to a format of your choice. To hook this up include the following setting in your project settings:

```
JSON_API_FORMAT_FIELD_NAMES = 'dasherize'
```

Possible values:

- `dasherize`
- `camelize` (first letter is lowercase)
- `capitalize` (camelize but with first letter uppercase)
- `underscore`

Note: due to the way the inflector works `address_1` can camelize to `address1` on output but it cannot convert `address1` back to `address_1` on POST or PATCH. Keep this in mind when naming fields with numbers in them.

Example - Without format conversion:

```
{
  "data": [{
    "type": "identities",
    "id": 3,
    "attributes": {
      "username": "john",
      "first_name": "John",
      "last_name": "Coltrane",
      "full_name": "John Coltrane"
    }
  }],
  "meta": {
    "pagination": {
      "count": 20
    }
  }
}
```

Example - With format conversion set to `dasherize`:

```
{
  "data": [{
    "type": "identities",
    "id": 3,
    "attributes": {
      "username": "john",
      "first-name": "John",
      "last-name": "Coltrane",
      "full-name": "John Coltrane"
    }
  }],
  "meta": {
    "pagination": {
      "count": 20
    }
  }
}
```

## 2.7.1 Types

A similar option to `JSON_API_FORMAT_KEYS` can be set for the types:

```
JSON_API_FORMAT_TYPES = 'dasherize'
```

Example without format conversion:

```
{
  "data": [{
    "type": "blog_identity",
    "id": 3,
    "attributes": {
```

(continues on next page)

(continued from previous page)

```
        ...
    },
    "relationships": {
        "home_town": {
            "data": [{
                "type": "home_town",
                "id": 3
            }]
        }
    }
}
]]
}
```

When set to `dasherize`:

```
{
  "data": [{
    "type": "blog-identity",
    "id": 3,
    "attributes": {
      ...
    },
    "relationships": {
      "home_town": {
        "data": [{
          "type": "home-town",
          "id": 3
        }]
      }
    }
  }]
}
```

It is also possible to pluralize the types like so:

```
JSON_API_PLURALIZE_TYPES = True
```

Example without pluralization:

```
{
  "data": [{
    "type": "identity",
    "id": 3,
    "attributes": {
      ...
    },
    "relationships": {
      "home_towns": {
        "data": [{
          "type": "home_town",
          "id": 3
        }]
      }
    }
  }]
}
```



When set to pluralize:

```
{
  "data": [{
    "type": "identities",
    "id": 3,
    "attributes": {
      ...
    },
    "relationships": {
      "home_towns": {
        "data": [{
          "type": "home_towns",
          "id": 3
        }]
      }
    }
  }]
}
```

## 2.8 Related fields

### 2.8.1 ResourceRelatedField

Because of the additional structure needed to represent relationships in JSON API, this package provides the `ResourceRelatedField` for serializers, which works similarly to `PrimaryKeyRelatedField`. By default, `rest_framework_json_api.serializers.ModelSerializer` will use this for related fields automatically. It can be instantiated explicitly as in the following example:

```
from rest_framework_json_api import serializers
from rest_framework_json_api.relations import ResourceRelatedField

from myapp.models import Order, LineItem, Customer

class OrderSerializer(serializers.ModelSerializer):
    class Meta:
        model = Order

    line_items = ResourceRelatedField(
        queryset=LineItem.objects,
        many=True # necessary for M2M fields & reverse FK fields
    )

    customer = ResourceRelatedField(
        queryset=Customer.objects # queryset argument is required
                                # except when read_only=True
    )
```

In the `JSON:API spec`, relationship objects contain links to related objects. To make this work on a serializer we need to tell the `ResourceRelatedField` about the corresponding view. Use the `HyperlinkedModelSerializer` and instantiate the `ResourceRelatedField` with the relevant keyword arguments:

```
from rest_framework_json_api import serializers
from rest_framework_json_api.relations import ResourceRelatedField
```

(continues on next page)

(continued from previous page)

```

from myapp.models import Order, LineItem, Customer

class OrderSerializer(serializers.HyperlinkedModelSerializer):
    class Meta:
        model = Order

    line_items = ResourceRelatedField(
        queryset=LineItem.objects,
        many=True,
        related_link_view_name='order-lineitems-list',
        related_link_url_kwarg='order_pk',
        self_link_view_name='order-relationships'
    )

    customer = ResourceRelatedField(
        queryset=Customer.objects,
        related_link_view_name='order-customer-detail',
        related_link_url_kwarg='order_pk',
        self_link_view_name='order-relationships'
    )

```

- `related_link_view_name` is the name of the route for the related view.
- `related_link_url_kwarg` is the keyword argument that will be passed to the view that identifies the ‘parent’ object, so that the results can be filtered to show only those objects related to the ‘parent’.
- `self_link_view_name` is the name of the route for the RelationshipView (see below).

In this example, `reverse('order-lineitems-list', kwargs={'order_pk': 3})` should resolve to something like `/orders/3/lineitems`, and that route should instantiate a view or viewset for `LineItem` objects that accepts a keyword argument `order_pk`. The `drf-nested-routers` package is useful for defining such nested routes in your `urlpatterns`.

The corresponding viewset for the `line-items-list` route in the above example might look like the following. Note that in the typical use case this would be the same viewset used for the `/lineitems` endpoints; when accessed through the nested route `/orders/<order_pk>/lineitems` the queryset is filtered using the `order_pk` keyword argument to include only the lineitems related to the specified order.

```

from rest_framework import viewsets

from myapp.models import LineItem
from myapp.serializers import LineItemSerializer

class LineItemViewSet(viewsets.ModelViewSet):
    queryset = LineItem.objects
    serializer_class = LineItemSerializer

    def get_queryset(self):
        queryset = super(LineItemViewSet, self).get_queryset()

        # if this viewset is accessed via the 'order-lineitems-list' route,
        # it will have been passed the 'order_pk' kwarg and the queryset
        # needs to be filtered accordingly; if it was accessed via the
        # unnested '/lineitems' route, the queryset should include all LineItems

```

(continues on next page)

(continued from previous page)

```

if 'order_pk' in self.kwargs:
    order_pk = self.kwargs['order_pk']
    queryset = queryset.filter(order__pk=order_pk)

return queryset

```

## 2.8.2 HyperlinkedRelatedField

`HyperlinkedRelatedField` has same functionality as `ResourceRelatedField` but does not render data. Use this in case you only need links of relationships and want to lower payload and increase performance.

## 2.8.3 Related urls

There is a nice way to handle “related” urls like `/orders/3/lineitems/` or `/orders/3/customer/`. All you need is just add to `urls.py`:

```

url(r'^orders/(?P<pk>[^\./]+)/$',
    OrderViewSet.as_view({'get': 'retrieve'}),
    name='order-detail'),
url(r'^orders/(?P<pk>[^\./]+)/(?P<related_field>\w+)/$',
    OrderViewSet.as_view({'get': 'retrieve_related'}),
    name='order-related'),

```

Make sure that `RelatedField` declaration has `related_link_url_kwarg='pk'` or simply skipped (will be set by default):

```

line_items = ResourceRelatedField(
    queryset=LineItem.objects,
    many=True,
    related_link_view_name='order-related',
    related_link_url_kwarg='pk',
    self_link_view_name='order-relationships'
)

customer = ResourceRelatedField(
    queryset=Customer.objects,
    related_link_view_name='order-related',
    self_link_view_name='order-relationships'
)

```

And, the most important part - declare serializer for each related entity:

```

class OrderSerializer(serializers.HyperlinkedModelSerializer):
    ...
    related_serializers = {
        'customer': 'example.serializers.CustomerSerializer',
        'line_items': 'example.serializers.LineItemSerializer'
    }

```

Or, if you already have `included_serializers` declared and your `related_serializers` look the same, just skip it:

```
class OrderSerializer(serializers.HyperlinkedModelSerializer):
    ...
    included_serializers = {
        'customer': 'example.serializers.CustomerSerializer',
        'line_items': 'example.serializers.LineItemSerializer'
    }
```

## 2.9 RelationshipView

`rest_framework_json_api.views.RelationshipView` is used to build relationship views (see the [JSON:API spec](#)). The `self` link on a relationship object should point to the corresponding relationship view.

The relationship view is fairly simple because it only serializes [Resource Identifier Objects](#) rather than full resource objects. In most cases the following is sufficient:

```
from rest_framework_json_api.views import RelationshipView

from myapp.models import Order

class OrderRelationshipView(RelationshipView):
    queryset = Order.objects
```

The `urlconf` would need to contain a route like the following:

```
url(
    regex=r'^orders/(?P<pk>[^\./]+)/relationships/(?P<related_field>[^\./]+)$',
    view=OrderRelationshipView.as_view(),
    name='order-relationships'
)
```

The `related_field` kwarg specifies which relationship to use, so if we are interested in the relationship represented by the related model field `Order.line_items` on the `Order` with pk 3, the url would be `/orders/3/relationships/line_items`. On `HyperlinkedModelSerializer`, the `ResourceRelatedField` will construct the url based on the provided `self_link_view_name` keyword argument, which should match the `name=` provided in the `urlconf`, and will use the name of the field for the `related_field` kwarg. Also we can override `related_field` in the url. Let's say we want the url to be: `/order/3/relationships/order_items` - all we need to do is just add `field_name_mapping` dict to the class:

```
field_name_mapping = {
    'line_items': 'order_items'
}
```

## 2.10 Working with polymorphic resources

Polymorphic resources allow you to use specialized subclasses without requiring special endpoints to expose the specialized versions. For example, if you had a `Project` that could be either an `ArtProject` or a `ResearchProject`, you can have both kinds at the same URL.

DJA tests its polymorphic support against [django-polymorphic](#). The polymorphic feature should also work with other popular libraries like `django-polymodels` or `django-typed-models`.

As this feature depends on `django-polymorphic` you need to run

```
pip install djangorestframework-jsonapi['django-polymorphic']
```

### 2.10.1 Writing polymorphic resources

A polymorphic endpoint can be set up if associated with a polymorphic serializer. A polymorphic serializer takes care of (de)serializing the correct instances types and can be defined like this:

```
class ProjectSerializer(serializers.PolymorphicModelSerializer):
    polymorphic_serializers = [ArtProjectSerializer, ResearchProjectSerializer]

    class Meta:
        model = models.Project
```

It must inherit from `serializers.PolymorphicModelSerializer` and define the `polymorphic_serializers` list. This attribute defines the accepted resource types.

Polymorphic relations can also be handled with `relations.PolymorphicResourceRelatedField` like this:

```
class CompanySerializer(serializers.ModelSerializer):
    current_project = relations.PolymorphicResourceRelatedField(
        ProjectSerializer, queryset=models.Project.objects.all())
    future_projects = relations.PolymorphicResourceRelatedField(
        ProjectSerializer, queryset=models.Project.objects.all(), many=True)

    class Meta:
        model = models.Company
```

They must be explicitly declared with the `polymorphic_serializer` (first positional argument) correctly defined. It must be a subclass of `serializers.PolymorphicModelSerializer`.

## 2.11 Meta

You may add metadata to the rendered json in two different ways: `meta_fields` and `get_root_meta`.

On any `rest_framework_json_api.serializers.ModelSerializer` you may add a `meta_fields` property to the `Meta` class. This behaves in the same manner as the default `fields` property and will cause `SerializerMethodFields` or model values to be added to the meta object within the same data as the serializer.

To add metadata to the top level meta object add:

```
def get_root_meta(self, resource, many):
    if many:
        # Dealing with a list request
        return {
            'size': len(resource)
        }
    else:
        # Dealing with a detail request
        return {
            'foo': 'bar'
        }
```

to the serializer. It must return a dict and will be merged with the existing top level `meta`.

To access metadata in incoming requests, the `JSONParser` will add the metadata under a top level `_meta` key in the parsed data dictionary. For instance, to access meta data from a `serializer` object, you may use `serializer.initial_data.get("_meta")`. To customize the `_meta` key, see [here](#).

## 2.12 Links

Adding `url` to `fields` on a serializer will add a `self` link to the `links` key.

Related links will be created automatically when using the Relationship View.

## 2.13 Included

JSON API can include additional resources in a single network request. The specification refers to this feature as [Compound Documents](#). Compound Documents can reduce the number of network requests which can lead to a better performing web application. To accomplish this, the specification permits a top level `included` key. The list of content within this key are the extra resources that are related to the primary resource.

To make a Compound Document, you need to modify your `ModelSerializer`. `included_serializers` is required to inform DJA of what and how you would like to include. `included_resources` tells DJA what you want to include by default.

For example, suppose you are making an app to go on quests, and you would like to fetch your chosen knight along with the quest. You could accomplish that with:

```
class KnightSerializer(serializers.ModelSerializer):
    class Meta:
        model = Knight
        fields = ('id', 'name', 'strength', 'dexterity', 'charisma')

class QuestSerializer(serializers.ModelSerializer):
    included_serializers = {
        'knight': KnightSerializer,
    }

    class Meta:
        model = Quest
        fields = ('id', 'title', 'reward', 'knight')

    class JSONAPIMeta:
        included_resources = ['knight']
```

### 2.13.1 Performance improvements

Be aware that using included resources without any form of prefetching **WILL HURT PERFORMANCE** as it will introduce  $m \cdot (n+1)$  queries.

A viewset helper was therefore designed to automatically preload data when possible. Such is automatically available when subclassing `ModelViewSet`.

It also allows to define custom `select_related` and `prefetch_related` for each requested include when needed in special cases:

rest\_framework\_json\_api.views.ModelViewSet:

```
from rest_framework_json_api import views

# When MyViewSet is called with ?include=author it will dynamically prefetch author_
↳ and author.bio
class MyViewSet (views.ModelViewSet):
    queryset = Book.objects.all()
    select_for_includes = {
        'author': ['author__bio'],
    }
    prefetch_for_includes = {
        '__all__': [],
        'all_authors': [Prefetch('all_authors', queryset=Author.objects.select_
↳ related('bio'))],
        'category.section': ['category']
    }
```

An additional convenience DJA class exists for read-only views, just as it does in DRF.

```
from rest_framework_json_api import views

class MyReadOnlyViewSet (views.ReadOnlyModelViewSet):
    # ...
```

The special keyword `__all__` can be used to specify a prefetch which should be done regardless of the include, similar to making the prefetch yourself on the QuerySet.

Using the helper to prefetch, rather than attempting to minimise queries via `select_related` might give you better performance depending on the characteristics of your data and database.

For example:

If you have a single model, e.g. `Book`, which has four relations e.g. `Author`, `Publisher`, `CopyrightHolder`, `Category`.

To display 25 books and related models, you would need to either do:

- a) 1 query via `select_related`, e.g. `SELECT * FROM books LEFT JOIN author LEFT JOIN publisher LEFT JOIN CopyrightHolder LEFT JOIN Category`
- b) 4 small queries via `prefetch_related`.

If you have 1M books, 50k authors, 10k categories, 10k copyrightholders in the `select_related` scenario, you've just created a in-memory table with 1e18 rows which will likely exhaust any available memory and slow your database to crawl.

The `prefetch_related` case will issue 4 queries, but they will be small and fast queries.





## API REFERENCE

This API reference is autogenerated from the Python docstrings – which need to be improved!

### 3.1 rest\_framework\_json\_api package

#### 3.1.1 Subpackages

`rest_framework_json_api.django_filters package`

**Submodules**

`rest_framework_json_api.django_filters.backends module`

**class** `rest_framework_json_api.django_filters.backends.DjangoFilterBackend`

Bases: `django_filters.rest_framework.backends.DjangoFilterBackend`

A Django-style ORM filter implementation, using *django-filter*.

This is not part of the jsonapi standard per-se, other than the requirement to use the *filter* keyword: This is an optional implementation of style of filtering in which each filter is an ORM expression as implemented by `DjangoFilterBackend` and seems to be in alignment with an interpretation of <http://jsonapi.org/recommendations/#filtering>, including relationship chaining. It also returns a 400 error for invalid filters.

Filters can be:

- A resource field equality test:  
`?filter[qty]=123`
- Apply other <https://docs.djangoproject.com/en/stable/ref/models/querysets/#field-lookups> operators:  
`?filter[name.icontains]=bar` or `?filter[name.isnull]=true...`
- Membership in a list of values:  
`?filter[name.in]=abc,123,zzz` (`name in ['abc','123','zzz']`)
- Filters can be combined for intersection (AND):  
`?filter[qty]=123&filter[name.in]=abc,123,zzz&filter[...]`
- A related resource path can be used:  
`?filter[inventory.item.partNum]=123456` (where *inventory.item* is the relationship path)

If you are also using `rest_framework.filters.SearchFilter` you'll want to customize the name of the query parameter for searching to make sure it doesn't conflict with a field name defined in the filterset. The recommended value is: `search_param="filter[search]"` but just make sure it's `filter[<something>]` to comply with the jsonapi spec requirement to use the filter keyword. The default is "search" unless overridden but it's used here just to make sure we don't complain about it being an invalid filter.

```
search_param = 'filter[search]'
```

```
filter_regex = re.compile('^filter(?:<ldelim>\\[?)(?:<assoc>[\\w\\.\\-]*)(?:<rdelim>\\[?)$')
```

```
get_filterset(request, queryset, view)
```

Sometimes there's no `filterset_class` defined yet the client still requests a filter. Make sure they see an error too. This means we have to `get_filterset_kwargs()` even if there's no `filterset_class`.

```
get_filterset_kwargs(request, queryset, view)
```

Turns `filter[<field>]=<value>` into `<field>=<value>` which is what `DjangoFilterBackend` expects

**Raises `ValidationError`** – for bad filter syntax

## 3.1.2 Submodules

### `rest_framework_json_api.exceptions` module

```
rest_framework_json_api.exceptions.rendered_with_json_api(view)
```

```
rest_framework_json_api.exceptions.exception_handler(exc, context)
```

```
exception rest_framework_json_api.exceptions.Conflict(detail=None, code=None)
```

Bases: `rest_framework.exceptions.APIException`

```
status_code = 409
```

```
default_detail = 'Conflict.'
```

### `rest_framework_json_api.filters` module

```
class rest_framework_json_api.filters.OrderingFilter
```

Bases: `rest_framework.filters.OrderingFilter`

A backend filter that implements <http://jsonapi.org/format/#fetching-sorting> and raises a 400 error if any sort field is invalid.

If you prefer *not* to report 400 errors for invalid sort fields, just use `rest_framework.filters.OrderingFilter` with `ordering_param="sort"`

Also applies `DJA_format_value()` to convert (e.g. camelcase) to underscore. (See `JSON_API_FORMAT_FIELD_NAMES` in `docs/usage.md`)

```
ordering_param = 'sort'
```

override `rest_framework.filters.OrderingFilter.ordering_param` with JSON:API-compliant query parameter name.

```
remove_invalid_fields(queryset, fields, view, request)
```

Extend `rest_framework.filters.OrderingFilter.remove_invalid_fields()` to validate that all provided sort fields exist (as contrasted with the super's behavior which is to silently remove invalid fields).

**Raises `ValidationError`** – if a sort field is invalid.

```
class rest_framework_json_api.filters.QueryParameterValidationFilter
```

```
    Bases: rest_framework.filters.BaseFilterBackend
```

A backend filter that performs strict validation of query parameters for JSON:API spec conformance and raises a 400 error if non-conforming usage is found.

If you want to add some additional non-standard query parameters, override `query_regex` adding the new parameters. Make sure to comply with the rules at <http://jsonapi.org/format/#query-parameters>.

```
query_regex = re.compile('^(sort|include)$|^(filter|fields|page) (\[\[\w\.\-]+\])?$')
    compiled regex that matches the allowed http://jsonapi.org/format/#query-parameters: sort and include
    stand alone; filter, fields, and page have []'s
```

```
validate_query_params (request)
```

Validate that query params are in the list of valid query keywords in `query_regex`

Raises `ValidationError` – if not.

```
filter_queryset (request, queryset, view)
```

Overrides `BaseFilterBackend.filter_queryset()` by first validating the query params with `validate_query_params()`

### rest\_framework\_json\_api.metadata module

```
class rest_framework_json_api.metadata.JSONAPIMetadata
```

```
    Bases: rest_framework.metadata.SimpleMetadata
```

This is the JSON:API metadata implementation. It returns an ad-hoc set of information about the view. There are not any formalized standards for `OPTIONS` responses for us to base this on.

```
type_lookup = <rest_framework.utils.field_mapping.ClassLookupDict object>
```

```
relation_type_lookup = <rest_framework.utils.field_mapping.ClassLookupDict object>
```

```
determine_metadata (request, view)
```

```
get_serializer_info (serializer)
```

Given an instance of a serializer, return a dictionary of metadata about its fields.

```
get_field_info (field)
```

Given an instance of a serializer field, return a dictionary of metadata about it.

### rest\_framework\_json\_api.pagination module

Pagination fields

```
class rest_framework_json_api.pagination.JsonApiPageNumberPagination
```

```
    Bases: rest_framework.pagination.PageNumberPagination
```

A json-api compatible pagination format.

```
page_query_param = 'page[number]'
```

```
page_size_query_param = 'page[size]'
```

```
max_page_size = 100
```

```
build_link (index)
```

```
get_paginated_response (data)
```

**class** `rest_framework_json_api.pagination.JsonApiLimitOffsetPagination`

Bases: `rest_framework.pagination.LimitOffsetPagination`

A limit/offset based style. For example:

```
http://api.example.org/accounts/?page[limit]=100
http://api.example.org/accounts/?page[offset]=400&page[limit]=100
```

```
limit_query_param = 'page[limit]'
offset_query_param = 'page[offset]'
max_limit = 100
get_last_link()
get_first_link()
get_paginated_response(data)
```

## **rest\_framework\_json\_api.parsers module**

Parsers

**class** `rest_framework_json_api.parsers.JSONParser`

Bases: `rest_framework.parsers.JSONParser`

Similar to *JSONRenderer*, the *JSONParser* you may override the following methods if you need highly custom parsing control.

A JSON API client will send a payload that looks like this:

```
{
  "data": {
    "type": "identities",
    "id": 1,
    "attributes": {
      "first_name": "John",
      "last_name": "Coltrane"
    }
  }
}
```

We extract the attributes so that DRF serializers can work as normal.

**media\_type** = `'application/vnd.api+json'`

**renderer\_class**

alias of `rest_framework_json_api.renderers.JSONRenderer`

**static parse\_attributes** (*data*)

**static parse\_relationships** (*data*)

**static parse\_metadata** (*result*)

Returns a dictionary which will be merged into parsed data of the request. By default, it reads the *meta* content in the request body and returns it in a dictionary with a *\_meta* top level key.

**parse** (*stream*, *media\_type=None*, *parser\_context=None*)

Parses the incoming bytestream as JSON and returns the resulting data

**rest\_framework\_json\_api.relations module**

```
class rest_framework_json_api.relations.SkipDataMixin(*args, **kwargs)
```

Bases: object

This workaround skips “data” rendering for relationships in order to save some sql queries and improve performance

```
get_attribute(instance)
```

```
to_representation(*args)
```

```
class rest_framework_json_api.relations.ManyRelatedFieldWithNoData(*args,
                                                                    **kwargs)
```

Bases: `rest_framework_json_api.relations.SkipDataMixin`, `rest_framework.relations.ManyRelatedField`

```
class rest_framework_json_api.relations.HyperlinkedMixin(self_link_view_name=None,
                                                         re-
                                                         lated_link_view_name=None,
                                                         **kwargs)
```

Bases: object

```
self_link_view_name = None
```

```
related_link_view_name = None
```

```
related_link_lookup_field = 'pk'
```

```
get_url(name, view_name, kwargs, request)
```

Given a name, view name and kwargs, return the URL that hyperlinks to the object.

May raise a *NoReverseMatch* if the *view\_name* and *lookup\_field* attributes are not configured to correctly match the URL conf.

```
get_links(obj=None, lookup_field='pk')
```

```
class rest_framework_json_api.relations.HyperlinkedRelatedField(self_link_view_name=None,
                                                                re-
                                                                lated_link_view_name=None,
                                                                **kwargs)
```

Bases: `rest_framework_json_api.relations.HyperlinkedMixin`, `rest_framework_json_api.relations.SkipDataMixin`, `rest_framework.relations.RelatedField`

```
classmethod many_init(*args, **kwargs)
```

This method handles creating a parent *ManyRelatedField* instance when the *many=True* keyword argument is passed.

Typically you won’t need to override this method.

Note that we’re over-cautious in passing most arguments to both parent and child classes in order to try to cover the general case. If you’re overriding this method you’ll probably want something much simpler, eg:

```
@classmethod
def many_init(cls, *args, **kwargs):
    kwargs['child'] = cls()
    return CustomManyRelatedField(*args, **kwargs)
```

```
class rest_framework_json_api.relations.ResourceRelatedField(**kwargs)
```

Bases: `rest_framework_json_api.relations.HyperlinkedMixin`, `rest_framework.relations.PrimaryKeyRelatedField`

```
self_link_view_name = None
related_link_view_name = None
related_link_lookup_field = 'pk'
default_error_messages = {'does_not_exist': 'Invalid pk "{pk_value}" - object does not exist'}
use_pk_only_optimization()

conflict(key, **kwargs)
    A helper method that simply raises a validation error.

to_internal_value(data)

to_representation(value)

get_resource_type_from_included_serializer()
    Check to see if this resource has a different resource_name when included and return that name, or None

get_parent_serializer()

is_serializer(candidate)

get_choices(cutoff=None)

class rest_framework_json_api.relations.PolymorphicResourceRelatedField(polymorphic_serializer,
                                                                        *args,
                                                                        **kwargs)

    Bases: rest_framework_json_api.relations.ResourceRelatedField

    Inform DRF that the relation must be considered polymorphic. Takes a polymorphic_serializer as the first
    positional argument to retrieve then validate the accepted types set.

    default_error_messages = {'does_not_exist': 'Invalid pk "{pk_value}" - object does not exist'}
    use_pk_only_optimization()
    to_internal_value(data)

class rest_framework_json_api.relations.SerializerMethodResourceRelatedField(child_relation=None,
                                                                              *args,
                                                                              **kwargs)

    Bases: rest_framework_json_api.relations.ResourceRelatedField

    Allows us to use serializer method RelatedFields with return querysets

    classmethod many_init(*args, **kwargs)

    get_attribute(instance)

    to_representation(value)

class rest_framework_json_api.relations.SerializerMethodHyperlinkedRelatedField(*args,
                                                                                **kwargs)

    Bases: rest_framework_json_api.relations.SkipDataMixin,
           rest_framework_json_api.relations.SerializerMethodResourceRelatedField
```

## rest\_framework\_json\_api.renderers module

Renderers

```
class rest_framework_json_api.renderers.JSONRenderer
    Bases: rest_framework.renderers.JSONRenderer
```

The *JSONRenderer* exposes a number of methods that you may override if you need highly custom rendering control.

Render a JSON response per the JSON API spec:

```
{
  "data": [
    {
      "type": "companies",
      "id": 1,
      "attributes": {
        "name": "Mozilla",
        "slug": "mozilla",
        "date-created": "2014-03-13 16:33:37"
      }
    }
  ]
}
```

**media\_type** = 'application/vnd.api+json'

**format** = 'vnd.api+json'

**classmethod extract\_attributes** (*fields, resource*)

Builds the *attributes* object of the JSON API resource object.

**classmethod extract\_relationships** (*fields, resource, resource\_instance*)

Builds the relationships top level object based on related serializers.

**classmethod extract\_relation\_instance** (*field, resource\_instance*)

Determines what instance represents given relation and extracts it.

Relation instance is determined exactly same way as it determined in parent serializer

**classmethod extract\_included** (*fields, resource, resource\_instance, included\_resources, included\_cache*)

Adds related data to the top level included key when the request includes ?include=example,example\_field2

**classmethod extract\_meta** (*serializer, resource*)

Gathers the data from serializer fields specified in meta\_fields and adds it to the meta object.

**classmethod extract\_root\_meta** (*serializer, resource*)

Calls a *get\_root\_meta* function on a serializer, if it exists.

**classmethod build\_json\_resource\_obj** (*fields, resource, resource\_instance, resource\_name, force\_type\_resolution=False*)

Builds the resource object (type, id, attributes) and extracts relationships.

**render\_relationship\_view** (*data, accepted\_media\_type=None, renderer\_context=None*)

**render\_errors** (*data, accepted\_media\_type=None, renderer\_context=None*)

**render** (*data, accepted\_media\_type=None, renderer\_context=None*)

## rest\_framework\_json\_api.serializers module

**class** rest\_framework\_json\_api.serializers.ResourceIdentifierObjectSerializer (*\*args, \*\*kwargs*)

Bases: rest\_framework.serializers.BaseSerializer

**default\_error\_messages** = {'does\_not\_exist': 'Invalid pk "{pk\_value}" - object does not exist'}

```
model_class = None
```

```
to_representation(instance)
```

```
to_internal_value(data)
```

```
class rest_framework_json_api.serializers.SparseFieldsetsMixin(*args,  
                                                                **kwargs)
```

Bases: object

```
class rest_framework_json_api.serializers.IncludedResourcesValidationMixin(*args,  
                                                                           **kwargs)
```

Bases: object

```
class rest_framework_json_api.serializers.HyperlinkedModelSerializer(*args,  
                                                                      **kwargs)  
Bases: rest_framework_json_api.serializers.IncludedResourcesValidationMixin,  
rest_framework_json_api.serializers.SparseFieldsetsMixin, rest_framework.  
serializers.HyperlinkedModelSerializer
```

A type of *ModelSerializer* that uses hyperlinked relationships instead of primary key relationships. Specifically:

- A ‘url’ field is included instead of the ‘id’ field.
- Relationships to other instances are hyperlinks, instead of primary keys.

Included Mixins:

- A mixin class to enable sparse fieldsets is included
- A mixin class to enable validation of included resources is included

```
class rest_framework_json_api.serializers.ModelSerializer(*args, **kwargs)  
Bases: rest_framework_json_api.serializers.IncludedResourcesValidationMixin,  
rest_framework_json_api.serializers.SparseFieldsetsMixin, rest_framework.  
serializers.ModelSerializer
```

A *ModelSerializer* is just a regular *Serializer*, except that:

- A set of default fields are automatically populated.
- A set of default validators are automatically populated.
- Default *.create()* and *.update()* implementations are provided.

The process of automatically determining a set of serializer fields based on the model fields is reasonably complex, but you almost certainly don’t need to dig into the implementation.

If the *ModelSerializer* class *doesn’t* generate the set of fields that you need you should either declare the extra/differing fields explicitly on the serializer class, or simply use a *Serializer* class.

Included Mixins:

- A mixin class to enable sparse fieldsets is included
- A mixin class to enable validation of included resources is included

**serializer\_related\_field**

alias of `rest_framework_json_api.relations.ResourceRelatedField`

**get\_field\_names** (*declared\_fields*, *info*)

We override the parent to omit explicitly defined meta fields (such as *SerializerMethodFields*) from the list of declared fields

**to\_representation** (*instance*)

Object instance -> Dict of primitive datatypes.



```
class rest_framework_json_api.serializers.PolymorphicSerializerMetaclass
```

```
Bases: rest_framework.serializers.SerializerMetaclass
```

This metaclass ensures that the *polymorphic\_serializers* is correctly defined on a *PolymorphicSerializer* class and make a cache of model/serializer/type mappings.

```
class rest_framework_json_api.serializers.PolymorphicModelSerializer(*args,  
                                                                    **kwargs)
```

```
Bases: rest_framework_json_api.serializers.ModelSerializer
```

A serializer for polymorphic models. Useful for “lazy” parent models. Leaves should be represented with a regular serializer.

```
get_fields()
```

Return an exhaustive list of the polymorphic serializer fields.

```
classmethod get_polymorphic_serializer_for_instance(instance)
```

Return the polymorphic serializer associated with the given instance/model. Raise *NotImplementedError* if no serializer is found for the given model. This usually means that a serializer is missing in the class’s *polymorphic\_serializers* attribute.

```
classmethod get_polymorphic_model_for_serializer(serializer)
```

Return the polymorphic model associated with the given serializer. Raise *NotImplementedError* if no model is found for the given serializer. This usually means that a serializer is missing in the class’s *polymorphic\_serializers* attribute.

```
classmethod get_polymorphic_serializer_for_type(obj_type)
```

Return the polymorphic serializer associated with the given type. Raise *NotImplementedError* if no serializer is found for the given type. This usually means that a serializer is missing in the class’s *polymorphic\_serializers* attribute.

```
classmethod get_polymorphic_model_for_type(obj_type)
```

Return the polymorphic model associated with the given type. Raise *NotImplementedError* if no model is found for the given type. This usually means that a serializer is missing in the class’s *polymorphic\_serializers* attribute.

```
classmethod get_polymorphic_types()
```

Return the list of accepted types.

```
to_representation(instance)
```

Retrieve the appropriate polymorphic serializer and use this to handle representation.

```
to_internal_value(data)
```

Ensure that the given type is one of the expected polymorphic types, then retrieve the appropriate polymorphic serializer and use this to handle internal value.

## rest\_framework\_json\_api.settings module

This module provides the *json\_api\_settings* object that is used to access JSON API REST framework settings, checking for user settings first, then falling back to the defaults.

```
class rest_framework_json_api.settings.JSONAPISettings(user_settings=<LazySettings  
                                                         "example.settings">, defaults={'FORMAT_FIELD_NAMES':  
                                                         False, 'FORMAT_TYPES':  
                                                         False, 'PLURALIZE_TYPES': False, 'UNIFORM_EXCEPTIONS':  
                                                         False})
```

```
Bases: object
```

A settings object that allows json api settings to be access as properties.

```
rest_framework_json_api.settings.reload_json_api_settings(*args, **kwargs)
```

### **rest\_framework\_json\_api.utils module**

```
rest_framework_json_api.utils.get_resource_name(context, ex-  
                                              pand_polymorphic_types=False)
```

Return the name of a resource.

```
rest_framework_json_api.utils.get_serializer_fields(serializer)
```

```
rest_framework_json_api.utils.format_field_names(obj, format_type=None)
```

Takes a dict and returns it with formatted keys as set in *format\_type* or *JSON\_API\_FORMAT\_FIELD\_NAMES*

**Format\_type** Either 'dasherize', 'camelize', 'capitalize' or 'underscore'

```
rest_framework_json_api.utils.format_value(value, format_type=None)
```

```
rest_framework_json_api.utils.format_resource_type(value, format_type=None, plural-  
                                                    ize=None)
```

```
rest_framework_json_api.utils.get_related_resource_type(relation)
```

```
rest_framework_json_api.utils.get_resource_type_from_model(model)
```

```
rest_framework_json_api.utils.get_resource_type_from_queryset(qs)
```

```
rest_framework_json_api.utils.get_resource_type_from_instance(instance)
```

```
rest_framework_json_api.utils.get_resource_type_from_manager(manager)
```

```
rest_framework_json_api.utils.get_resource_type_from_serializer(serializer)
```

```
rest_framework_json_api.utils.get_included_resources(request, serializer=None)
```

Build a list of included resources.

```
rest_framework_json_api.utils.get_default_included_resources_from_serializer(serializer)
```

```
rest_framework_json_api.utils.get_included_serializers(serializer)
```

```
rest_framework_json_api.utils.get_relation_instance(resource_instance, source, seri-  
                                                    alizer)
```

```
class rest_framework_json_api.utils.Hyperlink
```

Bases: str

A string like object that additionally has an associated name. We use this for hyperlinked URLs that may render as a named link in some contexts, or render as a plain URL in others.

Comes from Django REST framework 3.2 <https://github.com/tomchristie/django-rest-framework>

**is\_hyperlink = True**

```
rest_framework_json_api.utils.format_drf_errors(response, context, exc)
```

```
rest_framework_json_api.utils.format_error_object(message, pointer, response)
```

```
rest_framework_json_api.utils.format_errors(data)
```

### **rest\_framework\_json\_api.views module**

```
class rest_framework_json_api.views.PreloadIncludesMixin
```

Bases: object

This mixin provides a helper attributes to select or prefetch related models based on the include specified in the URL.

`__all__` can be used to specify a prefetch which should be done regardless of the include

```
# When MyViewSet is called with ?include=author it will prefetch author and
↳authorbio
class MyViewSet(viewsets.ModelViewSet):
    queryset = Book.objects.all()
    prefetch_for_includes = {
        '__all__': [],
        'category.section': ['category']
    }
    select_for_includes = {
        '__all__': [],
        'author': ['author', 'author__authorbio'],
    }
```

`get_select_related(include)`

`get_prefetch_related(include)`

`get_queryset(*args, **kwargs)`

**class** `rest_framework_json_api.views.AutoPrefetchMixin`  
Bases: `object`

`get_queryset(*args, **kwargs)`

This mixin adds automatic prefetching for OneToOne and ManyToMany fields.

**class** `rest_framework_json_api.views.RelatedMixin`  
Bases: `object`

This mixin handles all related entities, whose Serializers are declared in “related\_serializers”

`retrieve_related(request, *args, **kwargs)`

`get_serializer_class()`

`get_related_field_name()`

`get_related_instance()`

**class** `rest_framework_json_api.views.ModelViewSet(**kwargs)`  
Bases: `rest_framework_json_api.views.AutoPrefetchMixin`,  
`rest_framework_json_api.views.PreloadIncludesMixin`, `rest_framework_json_api.views.RelatedMixin`, `rest_framework.viewsets.ModelViewSet`

`http_method_names = ['get', 'post', 'patch', 'delete', 'head', 'options']`

**class** `rest_framework_json_api.views.ReadOnlyModelViewSet(**kwargs)`  
Bases: `rest_framework_json_api.views.AutoPrefetchMixin`,  
`rest_framework_json_api.views.RelatedMixin`, `rest_framework.viewsets.ReadOnlyModelViewSet`

`http_method_names = ['get', 'head', 'options']`

**class** `rest_framework_json_api.views.RelationshipView(**kwargs)`  
Bases: `rest_framework.generics.GenericAPIView`

`serializer_class`

alias of `rest_framework_json_api.serializers.ResourceIdentifierObjectSerializer`

`self_link_view_name = None`

```
related_link_view_name = None
```

```
field_name_mapping = {}
```

```
http_method_names = ['get', 'post', 'patch', 'delete', 'head', 'options']
```

```
get_serializer_class()
```

```
get_url(name, view_name, kwargs, request)
```

Given a name, view name and kwargs, return the URL that hyperlinks to the object.

May raise a *NoReverseMatch* if the *view\_name* and *lookup\_field* attributes are not configured to correctly match the URL conf.

```
get_links()
```

```
get(request, *args, **kwargs)
```

```
remove_relationships(instance_manager, field)
```

```
patch(request, *args, **kwargs)
```

```
post(request, *args, **kwargs)
```

```
delete(request, *args, **kwargs)
```

```
get_related_instance()
```

```
get_related_field_name()
```

```
get_resource_name()
```

```
set_resource_name(value)
```

```
property resource_name
```

## CONTRIBUTING

DJA should be easy to contribute to. If anything is unclear about how to contribute, please submit an issue on GitHub so that we can fix it!

### 4.1 How

Before writing any code, have a conversation on a GitHub issue to see if the proposed change makes sense for the project.

Fork DJA on [GitHub](#) and [submit a Pull Request](#) when you're ready.

### 4.2 For maintainers

To upload a release (using version 1.2.3 as the example):

```
(venv)$ python setup.py sdist bdist_wheel
(venv)$ twine upload dist/*
(venv)$ git tag -a v1.2.3 -m 'Release 1.2.3'
(venv)$ git push --tags
```



## INDICES AND TABLES

- `genindex`
- `search`





## PYTHON MODULE INDEX

### r

- `rest_framework_json_api`, [21](#)
- `rest_framework_json_api.django_filters`,  
[21](#)
- `rest_framework_json_api.django_filters.backends`,  
[21](#)
- `rest_framework_json_api.exceptions`, [22](#)
- `rest_framework_json_api.filters`, [22](#)
- `rest_framework_json_api.metadata`, [23](#)
- `rest_framework_json_api.pagination`, [23](#)
- `rest_framework_json_api.parsers`, [24](#)
- `rest_framework_json_api.relations`, [25](#)
- `rest_framework_json_api.renderers`, [26](#)
- `rest_framework_json_api.serializers`, [27](#)
- `rest_framework_json_api.settings`, [29](#)
- `rest_framework_json_api.utils`, [30](#)
- `rest_framework_json_api.views`, [30](#)



## INDEX

### A

AutoPrefetchMixin (class in *rest\_framework\_json\_api.views*), 31

### B

build\_json\_resource\_obj()

(*rest\_framework\_json\_api.renderers.JSONRenderer* class method), 27

build\_link() (*rest\_framework\_json\_api.pagination.JsonApiPageNumberPagination* method), 23

### C

Conflict, 22

conflict() (*rest\_framework\_json\_api.relations.ResourceRelatedField* method), 26

### D

default\_detail(*rest\_framework\_json\_api.exceptions.Conflict* attribute), 22

default\_error\_messages (*rest\_framework\_json\_api.relations.PolymorphicResourceRelatedField* attribute), 26

default\_error\_messages (*rest\_framework\_json\_api.relations.ResourceRelatedField* attribute), 26

default\_error\_messages (*rest\_framework\_json\_api.serializers.ResourceIdentifierObjectSerializer* attribute), 27

delete() (*rest\_framework\_json\_api.views.RelationshipView* method), 32

determine\_metadata() (*rest\_framework\_json\_api.metadata.JSONAPIMetadata* method), 23

DjangoFilterBackend (class in *rest\_framework\_json\_api.django\_filters.backends*), 21

### E

exception\_handler() (in module *rest\_framework\_json\_api.exceptions*), 22

extract\_attributes()

(*rest\_framework\_json\_api.renderers.JSONRenderer* class method), 27

extract\_included()

(*rest\_framework\_json\_api.renderers.JSONRenderer* class method), 27

extract\_meta() (*rest\_framework\_json\_api.renderers.JSONRenderer* class method), 27

extract\_relation\_instance()

(*rest\_framework\_json\_api.renderers.JSONRenderer* class method), 27

extract\_relationships()

(*rest\_framework\_json\_api.renderers.JSONRenderer* class method), 27

extract\_root\_meta()

(*rest\_framework\_json\_api.renderers.JSONRenderer* class method), 27

field\_name\_mapping

(*rest\_framework\_json\_api.views.RelationshipView* attribute), 32

filter\_queryset()

(*rest\_framework\_json\_api.filters.QueryParameterValidationFilter* method), 23

filter\_regex(*rest\_framework\_json\_api.django\_filters.backends.DjangoFilterBackend* attribute), 22

format(*rest\_framework\_json\_api.renderers.JSONRenderer* attribute), 27

format\_drf\_errors() (in module *rest\_framework\_json\_api.utils*), 30

format\_error\_object() (in module *rest\_framework\_json\_api.utils*), 30

format\_errors() (in module *rest\_framework\_json\_api.utils*), 30

format\_field\_names() (in module *rest\_framework\_json\_api.utils*), 30

format\_resource\_type() (in module *rest\_framework\_json\_api.utils*), 30

format\_value() (in module *rest\_framework\_json\_api.utils*), 30

## G

`get()` (`rest_framework_json_api.views.RelationshipView` method), 32  
`get_attribute()` (`rest_framework_json_api.relations.SerializerMethodResourceRelatedField` method), 26  
`get_attribute()` (`rest_framework_json_api.relations.SkipDataMixin` method), 25  
`get_choices()` (`rest_framework_json_api.relations.ResourceRelatedField` method), 26  
`get_default_included_resources_from_serializer()` (in module `rest_framework_json_api.utils`), 30  
`get_field_info()` (`rest_framework_json_api.metadata.JSONAPIMetadata` method), 23  
`get_field_names()` (`rest_framework_json_api.serializers.ModelSerializer` method), 28  
`get_fields()` (`rest_framework_json_api.serializers.PolymorphicModelSerializer` method), 29  
`get_filterset()` (`rest_framework_json_api.django_filters.backends.DjangoFilterBackend` method), 22  
`get_filterset_kwargs()` (`rest_framework_json_api.django_filters.backends.DjangoFilterBackend` method), 22  
`get_first_link()` (`rest_framework_json_api.pagination.JsonApiLimitOffsetPagination` method), 24  
`get_included_resources()` (in module `rest_framework_json_api.utils`), 30  
`get_included_serializers()` (in module `rest_framework_json_api.utils`), 30  
`get_last_link()` (`rest_framework_json_api.pagination.JsonApiLimitOffsetPagination` method), 24  
`get_links()` (`rest_framework_json_api.relations.HyperlinkedMixin` method), 25  
`get_links()` (`rest_framework_json_api.views.RelationshipView` method), 32  
`get_paginated_response()` (`rest_framework_json_api.pagination.JsonApiLimitOffsetPagination` method), 24  
`get_paginated_response()` (`rest_framework_json_api.pagination.JsonApiPageNumberPagination` method), 23  
`get_parent_serializer()` (`rest_framework_json_api.relations.ResourceRelatedField` method), 26  
`get_polymorphic_model_for_serializer()` (`rest_framework_json_api.serializers.PolymorphicModelSerializer` class method), 29  
`get_polymorphic_model_for_type()` (`rest_framework_json_api.serializers.PolymorphicModelSerializer` class method), 29  
`get_polymorphic_serializer_for_instance()` (`rest_framework_json_api.serializers.PolymorphicModelSerializer` class method), 29  
`get_polymorphic_serializer_for_type()` (`rest_framework_json_api.serializers.PolymorphicModelSerializer` class method), 29  
`get_polymorphic_types()` (`rest_framework_json_api.serializers.PolymorphicModelSerializer` class method), 29  
`get_prefetch_related()` (`rest_framework_json_api.views.PreloadIncludesMixin` method), 31  
`get_queryset()` (`rest_framework_json_api.views.AutoPrefetchMixin` method), 31  
`get_queryset()` (`rest_framework_json_api.views.PreloadIncludesMixin` method), 31  
`get_related_field_name()` (`rest_framework_json_api.views.RelatedMixin` method), 31  
`get_related_field_name()` (`rest_framework_json_api.views.RelationshipView` method), 32  
`get_related_instance()` (`rest_framework_json_api.views.RelatedMixin` method), 31  
`get_related_instance()` (`rest_framework_json_api.views.RelationshipView` method), 32  
`get_related_resource_type()` (in module `rest_framework_json_api.utils`), 30  
`get_relation_instance()` (in module `rest_framework_json_api.utils`), 30  
`get_resource_name()` (in module `rest_framework_json_api.utils`), 30  
`get_resource_name()` (`rest_framework_json_api.views.RelationshipView` method), 32  
`get_resource_type_from_included_serializer()` (`rest_framework_json_api.relations.ResourceRelatedField` method), 26  
`get_resource_type_from_instance()` (in module `rest_framework_json_api.utils`), 30  
`get_resource_type_from_manager()` (in module `rest_framework_json_api.utils`), 30  
`get_resource_type_from_model()` (in module `rest_framework_json_api.utils`), 30  
`get_resource_type_from_queryset()` (in module `rest_framework_json_api.utils`), 30  
`get_resource_type_from_serializer()` (in module `rest_framework_json_api.utils`), 30  
`get_select_related()` (`rest_framework_json_api.views.PreloadIncludesMixin` method), 31  
`get_serializer_class()` (`rest_framework_json_api.views.RelatedMixin` method), 31  
`get_serializer_class()` (`rest_framework_json_api.views.RelationshipView` method), 31

`method`), 32  
`get_serializer_fields()` (in module `rest_framework_json_api.utils`), 30  
`get_serializer_info()` (in module `rest_framework_json_api.metadata.JSONAPIMetadata`), 23  
`get_url()` (in module `rest_framework_json_api.relations.HyperlinkedMixin`), 25  
`get_url()` (in module `rest_framework_json_api.views.RelationshipView`), 32  
**H**  
`http_method_names` (in module `rest_framework_json_api.views.ModelViewSet`), 31  
`http_method_names` (in module `rest_framework_json_api.views.ReadOnlyModelViewSet`), 31  
`http_method_names` (in module `rest_framework_json_api.views.RelationshipView`), 32  
`Hyperlink` (class in `rest_framework_json_api.utils`), 30  
`HyperlinkedMixin` (class in `rest_framework_json_api.relations`), 25  
`HyperlinkedModelSerializer` (class in `rest_framework_json_api.serializers`), 28  
`HyperlinkedRelatedField` (class in `rest_framework_json_api.relations`), 25  
**I**  
`IncludedResourcesValidationMixin` (class in `rest_framework_json_api.serializers`), 28  
`is_hyperlink` (`rest_framework_json_api.utils.Hyperlink` attribute), 30  
`is_serializer()` (`rest_framework_json_api.relations.HyperlinkedRelatedField` method), 26  
**J**  
`JsonApiLimitOffsetPagination` (class in `rest_framework_json_api.pagination`), 23  
`JSONAPIMetadata` (class in `rest_framework_json_api.metadata`), 23  
`JsonApiPageNumberPagination` (class in `rest_framework_json_api.pagination`), 23  
`JSONAPISettings` (class in `rest_framework_json_api.settings`), 29  
`JSONParser` (class in `rest_framework_json_api.parsers`), 24  
`JSONRenderer` (class in `rest_framework_json_api.renderers`), 26  
**L**  
`limit_query_param` (`rest_framework_json_api.pagination.JsonApiLimitOffsetPagination` attribute), 24  
**M**  
`MediaMixin` (class in `rest_framework_json_api.relations`), 25  
`MethodResourceMixin` (class in `rest_framework_json_api.relations`), 26  
`ModelRelatedFieldWithNoData` (class in `rest_framework_json_api.relations`), 25  
`max_limit` (`rest_framework_json_api.pagination.JsonApiLimitOffsetPagination` attribute), 24  
`max_page_size` (`rest_framework_json_api.pagination.JsonApiPageNumberPagination` attribute), 23  
`media_type` (`rest_framework_json_api.parsers.JSONParser` attribute), 24  
`media_type` (`rest_framework_json_api.renderers.JSONRenderer` attribute), 27  
`model_class` (`rest_framework_json_api.serializers.ResourceIdentifierOnlyModelSerializer` attribute), 27  
`ModelSerializer` (class in `rest_framework_json_api.serializers`), 28  
`ModelViewSet` (class in `rest_framework_json_api.views`), 31  
**O**  
`offset_query_param` (`rest_framework_json_api.pagination.JsonApiLimitOffsetPagination` attribute), 24  
`ordering_param` (`rest_framework_json_api.filters.OrderingFilter` attribute), 22  
`OrderingFilter` (class in `rest_framework_json_api.filters`), 22  
**P**  
`PartialRelatedField` (class in `rest_framework_json_api.relations`), 25  
`page_query_param` (`rest_framework_json_api.pagination.JsonApiPageNumberPagination` attribute), 23  
`page_size_query_param` (`rest_framework_json_api.pagination.JsonApiPageNumberPagination` attribute), 23  
`parse()` (`rest_framework_json_api.parsers.JSONParser` method), 24  
`parse_attributes()` (`rest_framework_json_api.parsers.JSONParser` static method), 24  
`parse_metadata()` (`rest_framework_json_api.parsers.JSONParser` static method), 24  
`parse_relationships()` (`rest_framework_json_api.parsers.JSONParser` static method), 24  
`patch()` (`rest_framework_json_api.views.RelationshipView` method), 32  
`PolymorphicModelSerializer` (class in `rest_framework_json_api.serializers`), 29

[PolymorphicResourceRelatedField](#) (class in [rest\\_framework\\_json\\_api.relations](#)), 26  
[PolymorphicSerializerMetaclass](#) (class in [rest\\_framework\\_json\\_api.serializers](#)), 28  
[post\(\)](#) ([rest\\_framework\\_json\\_api.views.RelationshipView](#) method), 32  
[PreloadIncludesMixin](#) (class in [rest\\_framework\\_json\\_api.views](#)), 30  
**Q**  
[query\\_regex](#) ([rest\\_framework\\_json\\_api.filters.QueryParameterValidationFilter](#) attribute), 23  
[QueryParameterValidationFilter](#) (class in [rest\\_framework\\_json\\_api.filters](#)), 22  
**R**  
[ReadOnlyModelViewSet](#) (class in [rest\\_framework\\_json\\_api.views](#)), 31  
[related\\_link\\_lookup\\_field](#) ([rest\\_framework\\_json\\_api.relations.HyperlinkedMixin](#) attribute), 25  
[related\\_link\\_lookup\\_field](#) ([rest\\_framework\\_json\\_api.relations.ResourceRelatedField](#) attribute), 26  
[related\\_link\\_view\\_name](#) ([rest\\_framework\\_json\\_api.relations.HyperlinkedMixin](#) attribute), 25  
[related\\_link\\_view\\_name](#) ([rest\\_framework\\_json\\_api.relations.ResourceRelatedField](#) attribute), 26  
[related\\_link\\_view\\_name](#) ([rest\\_framework\\_json\\_api.views.RelationshipView](#) attribute), 31  
[RelatedMixin](#) (class in [rest\\_framework\\_json\\_api.views](#)), 31  
[relation\\_type\\_lookup](#) ([rest\\_framework\\_json\\_api.metadata.JSONAPIMetadata](#) attribute), 23  
[RelationshipView](#) (class in [rest\\_framework\\_json\\_api.views](#)), 31  
[reload\\_json\\_api\\_settings\(\)](#) (in module [rest\\_framework\\_json\\_api.settings](#)), 30  
[remove\\_invalid\\_fields\(\)](#) ([rest\\_framework\\_json\\_api.filters.OrderingFilter](#) method), 22  
[remove\\_relationships\(\)](#) ([rest\\_framework\\_json\\_api.views.RelationshipView](#) method), 32  
[render\(\)](#) ([rest\\_framework\\_json\\_api.renderers.JSONRenderer](#) method), 27  
[render\\_errors\(\)](#) ([rest\\_framework\\_json\\_api.renderers.JSONRenderer](#) method), 27  
[render\\_relationship\\_view\(\)](#) ([rest\\_framework\\_json\\_api.renderers.JSONRenderer](#) method), 27  
[rendered\\_with\\_json\\_api\(\)](#) (in module [rest\\_framework\\_json\\_api.exceptions](#)), 22  
[renderer\\_class](#) ([rest\\_framework\\_json\\_api.parsers.JSONParser](#) attribute), 24  
[resource\\_name\(\)](#) ([rest\\_framework\\_json\\_api.views.RelationshipView](#) property), 32  
[ResourceIdentifierObjectSerializer](#) (class in [rest\\_framework\\_json\\_api.serializers](#)), 27  
[ResourceRelatedField](#) (class in [rest\\_framework\\_json\\_api.relations](#)), 25  
[rest\\_framework\\_json\\_api](#) (module), 21  
[rest\\_framework\\_json\\_api.django\\_filters](#) (module), 21  
[rest\\_framework\\_json\\_api.django\\_filters.backends](#) (module), 21  
[rest\\_framework\\_json\\_api.exceptions](#) (module), 22  
[rest\\_framework\\_json\\_api.filters](#) (module), 22  
[rest\\_framework\\_json\\_api.metadata](#) (module), 23  
[rest\\_framework\\_json\\_api.pagination](#) (module), 23  
[rest\\_framework\\_json\\_api.parsers](#) (module), 24  
[rest\\_framework\\_json\\_api.relations](#) (module), 25  
[rest\\_framework\\_json\\_api.renderers](#) (module), 26  
[rest\\_framework\\_json\\_api.serializers](#) (module), 27  
[rest\\_framework\\_json\\_api.settings](#) (module), 29  
[rest\\_framework\\_json\\_api.utils](#) (module), 30  
[rest\\_framework\\_json\\_api.views](#) (module), 30  
[retrieve\\_related\(\)](#) ([rest\\_framework\\_json\\_api.views.RelatedMixin](#) method), 31  
**S**  
[search\\_param](#) ([rest\\_framework\\_json\\_api.django\\_filters.backends.DjangoFilterBackend](#) attribute), 22  
[self\\_link\\_view\\_name](#) ([rest\\_framework\\_json\\_api.relations.HyperlinkedMixin](#) attribute), 25  
[self\\_link\\_view\\_name](#) ([rest\\_framework\\_json\\_api.relations.ResourceRelatedField](#) attribute), 25  
[self\\_link\\_view\\_name](#) ([rest\\_framework\\_json\\_api.views.RelationshipView](#) attribute), 31  
[serializer\\_class](#) ([rest\\_framework\\_json\\_api.views.RelationshipView](#) attribute), 31

serializer\_related\_field

(*rest\_framework\_json\_api.serializers.ModelSerializer*  
attribute), 28

SerializerMethodHyperlinkedRelatedField

(class in *rest\_framework\_json\_api.relations*),  
26

SerializerMethodResourceRelatedField

(class in *rest\_framework\_json\_api.relations*),  
26

set\_resource\_name()

(*rest\_framework\_json\_api.views.RelationshipView*  
method), 32

SkipDataMixin

(class in  
*rest\_framework\_json\_api.relations*), 25

SparseFieldsetsMixin

(class in  
*rest\_framework\_json\_api.serializers*), 28

status\_code(*rest\_framework\_json\_api.exceptions.Conflict*  
attribute), 22

## T

to\_internal\_value()

(*rest\_framework\_json\_api.relations.PolymorphicResourceRelatedField*  
method), 26

to\_internal\_value()

(*rest\_framework\_json\_api.relations.ResourceRelatedField*  
method), 26

to\_internal\_value()

(*rest\_framework\_json\_api.serializers.PolymorphicModelSerializer*  
method), 29

to\_internal\_value()

(*rest\_framework\_json\_api.serializers.ResourceIdentifierObjectSerializer*  
method), 28

to\_representation()

(*rest\_framework\_json\_api.relations.ResourceRelatedField*  
method), 26

to\_representation()

(*rest\_framework\_json\_api.relations.SerializerMethodResourceRelatedField*  
method), 26

to\_representation()

(*rest\_framework\_json\_api.relations.SkipDataMixin*  
method), 25

to\_representation()

(*rest\_framework\_json\_api.serializers.ModelSerializer*  
method), 28

to\_representation()

(*rest\_framework\_json\_api.serializers.PolymorphicModelSerializer*  
method), 29

to\_representation()

(*rest\_framework\_json\_api.serializers.ResourceIdentifierObjectSerializer*  
method), 28

type\_lookup(*rest\_framework\_json\_api.metadata.JSONAPIMetadata*  
attribute), 23

## U

use\_pk\_only\_optimization()

(*rest\_framework\_json\_api.relations.PolymorphicResourceRelatedField*  
method), 26

use\_pk\_only\_optimization()

(*rest\_framework\_json\_api.relations.ResourceRelatedField*  
method), 26

## V

validate\_query\_params()

(*rest\_framework\_json\_api.filters.QueryParameterValidationFilter*  
method), 23